

Work Order ID 139637

139637

Page 1

Monday, November 30, 2015 11:09:10 AM

Item ID: D3215-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Harness Assembly
 Start Date: 12/4/2015 Start Qty: 5.00 ***5*** Cust Item ID:
 Required Date: 12/4/2015 Req'd Qty: 5.00 ***5*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: DEC 03 2015 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3215	Rev D

100	PURCHASING	0.00							DAS 13 9-89
-----	------------	------	--	--	--	--	--	--	-------------------

100

Purchasing

Purchasing

Memo

Issue P/O: 31264 to Tulmar Safety Systems
 D3215-041 as per Dwg D3215
 Ship to Tulmar
 Certificate of Conformity is required

110

Receive & Inspect for Damage & Mat'l Certs 0.00

110

Packaging

Packaging

Memo

Ensure certificate of conformity is attached

120

QC6- Inspect dimensions to drawing 0.00

120

QC

Quality Control

Memo

0.00

5 FEB 04 2016

5x Sp16-02-18

⑤ 16-02-18

DAS
9
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : ☐			
Misidentified ☐		Past Due ☐					

Work Order ID 139637

139637

Page 2

Monday, November 30, 2015 11:09:10 AM

Item ID: D3215-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Harness Assembly
 Start Date: 12/4/2015 Start Qty: 5.00 ***5*** Cust Item ID:
 Required Date: 12/4/2015 Req'd Qty: 5.00 ***5*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <i>Sty64</i>	0.00							
130									
Packaging	Memo	0.00				<i>5</i>	<i>DAS</i>		
Packaging							<i>6</i>		
							<i>9-89</i>		FEB 19 2016
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.01				<i>ML5</i>			FEB 19 2016
Quality Control									

ML5 FEB 19 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				OTHER : ☐			

Monday, November 30, 2015 11:09:09 AM

139637

D3215-041

Required Date: 12/4/2015

Required Qty: 5.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

2

5x SP 16-02-18

1

5

FEB 04 2016

DAS
13
8-89

Loc Code

12

~~122870~~

12

12.0000

1

5

FEB 04 2016

**DAS
13
9-999**

Loc Code

12

12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				




DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 1 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS
A	03.09.19	NEW ISSUE	
B	04.01.12	AS MANUFACTURED; ADD TOLERANCE	
C	04.03.05	REDUCE LENGTH; CLARIFY STITCHING	
D	07.03.27	ADD WEBBING SUPPLIER; ADD LABEL THREAD AND MATERIAL; IN VIEW A-A, 1.4 WAS 1.8; ADD -3A AND -3B; UPDATE TOLERANCES	



PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-041	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
1	D3215-3	WEBBING TIDY
1	D3216-1	WEBBING ADJUSTER



D3215-041 BELT ASSEMBLY:

- 1) MATERIAL: WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN

WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD


- 2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 4) SEE SHEET 3 FOR VIEW A-A

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>#</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS



D3215-043 BELT ASSEMBLY:

1) MATERIAL:

WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 5700 lb MIN

OR BELT TECH CANADA INC. 27039, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 6000 lb MIN

WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3,
BLACK NYLON THREAD

LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F,
BLACK NYLON THREAD

2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE
NOTED.


3) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED.

4) SEE SHEET 3 FOR VIEW A-A



RELEASED

07.06.07 *#*



ASSEMBLY DETAIL
NOT TO SCALE

PARTS LIST:


QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 3 OF 3
DATE 07.03.27	TITLE HARNESS ASSEMBLY		SCALE 3:2



VIEW A-A



D3215-3A/-3B NOTES:

- 1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.040 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC. M5052H32S.040)
- 2) BEND D3215-3A PER D3215-3

D3215-1 LABEL:


- 1) MATERIAL: WHITE TYVEK OR WHITE POLYESTER WHICH MEETS FMVSS 302
- 2) USE 1/8 BLACK LETTERING
- 3) CENTER ON BELT WIDTH

RELEASED

07.06.07 *[Signature]*

GENERAL NOTES:

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED



D3215-3 WEBBING TIDY

D3215-3 NOTES:

- 1) WELD PER DART QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT BLACK SANTEX (4.3.5.7) PER DART QSI 005 4.3

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31264**

Purchase Order Date 2/4/2016 2:33:58 PM

PO Print Date 2/8/2016

Page Number 1 of 2

Order From :

VC-TUL001

Ship To : DART AEROSPACE LTD

TULMAR SAFETY SYSTEMS
1123 CAMERON ST
HAWKESBURY, ON K6A 2B8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

FEB 08 2016

Contact Name

Vendor Phone 613 632 1282

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

REVISE

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable CD Promise Date	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D3215-041P ✓ AS PER DWG D3215 REV. D B139637 TULMAR P/N: 8937	Harness Assembly	2/23/2016 Yes 2/23/2016	5.00 Each	\$20.44	\$102.20
Line Total:						\$102.20
3	D3215-043P AS PER DWG D3215 REV. D B139650 TULMAR P/N: 8938	Harness Assembly	2/23/2016 Yes 2/23/2016	3.00 Each	\$37.14	\$111.42
Line Total:						\$111.42

Note:

2/8/2016

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8
Tel: 613-632-1282
Fax: 613-632-2030
GST R132478223
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No. Page

56733 1

Ship Date

2/18/2016

Bill To:

Dart Aerospace

1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Canada

Ship To:

Dart Aerospace

1270 Aberdeen Street
Tel: 613-632-9577
Hawkesbury, ON K6A 1K7
Canada

Order number	Sales order date	Account number	Loc	Account manager
33634	2/8/2016	CDART100	H	Francine Bigras

PO number	Ship via	Shipping Terms
PO31264	Pick-Up	FOB HAWKESBURY

Item No. Description	Quantity ordered	UOM	Qty Shipped/Returned	Quantity on back order
-------------------------	------------------	-----	----------------------	------------------------

QA: A004 A005 A007 A016 A026 A027 A040
A041 A043

8937	5.00	EA	5.00	
------	------	----	------	--

Belt Ass'y, / 2" wide, Black Webbing
Drawing No: D3215 (P/N D3215-041)
DWG Rev: D
Line 1

Lot no.: BATCH0000000036

8938	3.00	EA	3.00	
------	------	----	------	--

Belt Ass'y, / 2" wide, black Webbing
Drawing No: D3215 (P/N D3215-043)
DWG Rev: D
Line 2

Lot no.: BATCH0000000027

3.00

2016-02-18

Certificate of Conformance

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.
If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

Francine Bigras

Date:

FEB 18 2016

Belt-Tech Products Inc.

Certificate of Compliance No : 56 412

Page : 1 de 1

Date : 2010-10-22

Time : 13:31:04

Pattern : 27039

Width : 47.000

Dye lot No : 432674

Color : CG008 BLACK

Meters : 6 728.00

Warp Order :

Customer : TULMAR SAFETY SYSTEMS

Test Date : 2010/10/22

Nissan

Legend : Y = Good - Pass
N = Fail

Customer Part Number 18440-00

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining)	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) : FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s)

c/c's used to mfg D3215-041 + D3215-043 Rev D

Lenaie Laliberté (cc)

Feb. 17/10

16-02-18

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the

Purchase Order # and was tested at $22 \pm 3^{\circ}\text{C}$ temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

TBS # 2281/12 (S)

Belt-Tech Products Inc.

Certificate of Compliance No : 56 412

Page : 1 de 1

Date : 2010-10-22

Time : 13:31:04

Pattern : 27039

Width : 47.000

Dye lot No : 432674

Color : CG008 BLACK

Meters : 6 728.00

Warp Order :

Customer : TULMAR SAFETY SYSTEMS

Test Date : 2010/10/22

Nissan

Legend : Y = Good - Pass
N = Fail

Customer Part Number 18440-00

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining) *	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) :

FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s)

Qc's used to mfg. D3215-041 + D3215-043 Rev D

Lenaie Laliberté (QC)

Feb. 17/10

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the

Purchase Order # and was tested at 22 ± 3°C temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

[Signature]

Approved by :

[Signature]

4.10-1403E (2010-03-31)

TBS # 2281/12 (S)



Belt-Tech Products Inc.

386 Dorchester Street

Granby, Québec

J2G 3Z7

*** Tel: (450) 372-5826 ***

*** Fax: (450) 372-4179 ***

October 16th 2007

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, Ontario
K6A 2B8

Attention to Sandra Nadeau

• By this letter, we certify that our pattern 27039/47, in all colors, meets the flammability specification of 102 mm/minute maximum of FMVSS 302 and 2.5"/minute maximum of FAR 25-853A.

Best regards,


Lyne Renaud
Quality Control Manager

TSS 2281



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Ltée - established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

20 October 2008

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8

Att. Sandra Nadeau


CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 20 October 2008, have been produced in accordance with the requirements of Purchase Order no. 14929-00 of the same date:

-Bonded Nylon CBB92 - 35.18 lb, colour OG-107, lot # 748348, meeting the requirements of specification V-T-295, Type 2, Class A, Size F

*-Bonded Nylon CB207 - 19.96 lb, colour black, lot # 656160, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply

Yours truly,


for: Hershie Schachter
CANSEW INC.

MONTREAL - Head Office/Siège social
111 Chabanel W / O. H2N 1C9
Administration (514) 382-2807
Commandes/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO
28 Apex Rd. M8A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG
1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY
3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER
1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca

TSS # 2525/42 (S)

TULMAR**Certificate of Conformance**

Tulmar P/N 2530	Description Thread, Nylon, Black, AA-66826, T17, CUA, Sq = F, Quality Clause: Q10, Country of Origin: USA, MS C0882	Dwg #	Revision	Qty 40 Spl
Tulmar PO # 27000-00	Line Item # 1	Supplier Name / Address CANSEW INC, 111 Chabanel West, Suite 101, Montreal, Que., H2N 1C9		Supplier Packing Slip # H66082


Supplier Declarations:

Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have included, the following substances:	Hexavalent Chromium; Cadmium; Beryllium; Nickel; Mercury; Lead; Asbestos; Radioactive elements YES ☐ NO ☒	
Country of Origin of Goods : USA		if YES, please complete the HazMat Acknowledgement form @ www.tulmar.com	
Limited Shelf-Life	<u>Definition:</u> If material is consumed or transformed into final product before end of shelf-life there is no effect on final product.	These items have a limited Shelf-Life YES ☐ NO ☒	if YES, please complete the Time Expired - Shelf-Life questionnaire @ www.tulmar.com
Expiry date	<u>Definition:</u> Date after which performance will no longer be as intended - expiration is transferred to the final product.	These items have an expiry date YES ☐ NO ☒	

Additional Information (MRS#, MRA#, limitations, etc...):

--

I hereby certify that the goods listed hereon have been inspected and/or tested, as applicable, and conform to all specifications and requirements detailed in the contract or purchase order and relevant quality clauses. Objective evidence to support this statement is on file and can be made available upon request. Should further information be required, please contact:

Signature 	Name Hershie Schachter	Date (DD-MMM-YYYY) 28-Jan-2014
Title President	Email hershie@cansew.ca	Phone # (514) 382-2807

Form Revision 13 Aug 2012

2530/53 (SN)

TULMAR**Certificate of Conformance**

Tulmar P/N 22019-001	Description 25KAMSAFE - INCLUDES 2360NWT & HS1111 INK IMPRINTED ONE-SIDE, 1-3/8" WEB	Dwg #	Revision	Qty 1
Tulmar PO # 26289-00	Line Item # Supplier Name / Address Avery Dennison RBIS/ 950 German St. Lenoir, NC 28645 USA	Supplier Packing Slip # AVY-8494793		


Supplier Declarations:

Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have included, the following substances:	Hexavalent Chromium; Cadmium; Beryllium; Nickel; Mercury; Lead; Asbestos; Radioactive elements YES ☐ NO ☒
Country of Origin of Goods : Japan		if YES, please complete the HazMat Acknowledgement form @ www.tulmar.com
Limited Shelf-Life	<u>Definition:</u> If material is consumed or transformed into final product before end of shelf-life there is no effect on final product.	Those items have a limited Shelf-Life YES ☒ NO ☐ if YES, please complete the Time Expired - Shelf-Life questionnaire @ www.tulmar.com
Expiry date	<u>Definition:</u> Date after which performance will no longer be as intended - expiration is transferred to the final product.	Those items have an expiry date YES ☐ NO ☒

Additional Information (MRS#, MRA#, limitations, etc...):

Shelf life is 2 years from date of Manufacture.

I hereby certify that the goods listed hereon have been inspected and/or tested, as applicable, and conform to all specifications and requirements detailed in the contract or purchase order and relevant quality clauses. Objective evidence to support this statement is on file and can be made available upon request. Should further information be required, please contact:

Signature 	Name Bethany Covey	Date (DD-MMM-YYYY) 16-OCT-2013
Title Quality/ELS Manager, Lenoir Facility	Email bethany.covey@averydennison.com	Phone # 828-758-2338

Form Revision 13 Aug 2012

22019-001/07